Display energy certificate (DEC)

HM Government

St Margarets Church Of England VA School
School Close
Tintinhull
YEOVIL
BA22 8PX

Operational rating

C


Certificate number:	0020-2259-6136-3190-1060
Valid until:	28 February 2036
Total useful floor area:	718.2 square metres

Energy performance operational rating

The building's energy performance operational rating is based on its carbon dioxide (CO2) emissions for the last year.

It is given a score and an operational rating on a scale from A (lowest emissions) to G (highest emissions).

The typical score for a public building is 100. This typical score gives an operational rating of D.



This building's energy use

Energy use	Electricity	Other fuels
Annual energy use (kWh/m2/year)	23.67	79.19
Typical energy use (kWh/m2/year)	40	143.51
Energy from renewables	0%	0%

Previous operational ratings

Date	Operational rating
March 2026	57 C

Total carbon dioxide (CO2) emissions

This tells you how much carbon dioxide the building emits. It shows tonnes per year of CO2.

Date	Electricity	Heating	Renewables
March 2026	9	11	0

Assessment details

Assessor's name	Tim Linford
Employer/Trading name	TJL Associates
Employer/Trading address	North Hill Cottage, Shipton Lane, Burton Bradstock, DT6 4NQ
Assessor's declaration	Not related to the occupier.
Accreditation scheme	CIBSE Certification Limited
Issue date	10 February 2026
Nominated date	1 March 2026